



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/801,415

03/15/2004

Tomas Smetana

P/4476-3

1960

2352

7590

08/14/2006

OSTROLENK FABER GERB & SOFFEN
1180 AVENUE OF THE AMERICAS
NEW YORK, NY 100368403

EXAMINER

JIMENEZ, MARC QUEMUEL

ART UNIT

PAPER NUMBER

3726

DATE MAILED: 08/14/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/801,415	Applicant(s) SMETANA ET AL.	
	Examiner Marc Jimenez	Art Unit 3726	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-6 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>12-13-04, 3-15-04</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. **Claims 1-6** are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Claim 1 recites “the outer machine part and the external circumferential surface of the inner machine part are fastened one over the other by means of compression connection, ...”. However, it is unclear what is meant by “compression connection”. The specification does not describe what this assembly process encompasses. In addition, there are no figures that show how the outer machine part is actually assembled to the inner machine part. What is shown in the figures is the final product.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3726

4. **Claims 1 and 4** are rejected under 35 U.S.C. 102(b) as being anticipated by Small (US1441459).

Small teaches a subassembly comprised of at least two machine parts including: an outer machine **8** part having an internal circumferential surface and a cooperating inner machine part **1b** having an external circumferential surface wherein the internal circumferential surface, of the outer machine part **8** and the external circumferential surface of the inner machine part **1b** are fastened one over the other by means of compression connection (figure 5), the outer **8** and inner **1b** machine parts being so positioned along an axis with respect to each other that they overlap and the dimensions of the inner **1b** and outer **8** machine parts and respective materials thereof are selected such that the outer machine part **8** is deformed into the plastic range of material strained (see figure 5).

Regarding the limitations of claim 4 pertaining to the contraction of the inner machine part corresponding to the level of contraction of the outer machine part at maximum overlap of the compression connection for elastic deformation of the outer machine part, note that:

"[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985) (citations omitted) (Claim was directed to a novolac color developer. The process of making the developer was allowed. The difference between the inventive process and the prior art was the addition of metal oxide and carboxylic acid as separate ingredients instead of adding the more expensive pre-reacted metal carboxylate. The product-by-process claim was rejected because the end product, in both the prior art and the allowed process, ends up containing metal carboxylate. The fact that the metal carboxylate is not directly added, but is instead produced in-situ does not change the end product.).

Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "When the PTO shows a sound basis for believing that the products of the applicant and the prior art are the same, the applicant has the burden of showing that they are not." *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). Therefore, the *prima facie* case can be rebutted by evidence showing that the prior art products do not necessarily possess the characteristics of the claimed product. *In re Best*, 562 F.2d at 1255, 195 USPQ at 433. See also *Titanium Metals Corp. v. Banner*, 778 F.2d 775, 227 USPQ 773 (Fed. Cir. 1985) (Claims were directed to a titanium alloy containing 0.2-0.4% Mo and 0.6-0.9% Ni having corrosion resistance. A Russian article disclosed a titanium alloy containing 0.25% Mo and 0.75% Ni but was silent as to corrosion resistance. The Federal Circuit held that the claim was anticipated because the percentages of Mo and Ni were

Art Unit: 3726

squarely within the claimed ranges. The court went on to say that it was immaterial what properties the alloys had or who discovered the properties because the composition is the same and thus must necessarily exhibit the properties.).

See also *In re Ludtke*, 441 F.2d 660, 169 USPQ 563 (CCPA 1971) (Claim 1 was directed to a parachute canopy having concentric circumferential panels radially separated from each other by radially extending tie lines. The panels were separated "such that the critical velocity of each successively larger panel will be less than the critical velocity of the previous panel, whereby said parachute will sequentially open and thus gradually decelerate." The court found that the claim was anticipated by Menget. Menget taught a parachute having three circumferential panels separated by tie lines. The court upheld the rejection finding that applicant had failed to show that Menget did not possess the functional characteristics of the claims.); *Northam Warren Corp. v. D. F. Newfield Co.*, 7 F. Supp. 773, 22 USPQ 313 (E.D.N.Y. 1934) (A patent to a pencil for cleaning fingernails was held invalid because a pencil of the same structure for writing was found in the prior art.).

5. **Claims 1 and 4** are rejected under 35 U.S.C. 102(b) as being anticipated by Harvey (US1839964).

Harvey teaches a subassembly comprised of at least two machine parts including: an outer machine **5** part having an internal circumferential surface and a cooperating inner machine part **2** having an external circumferential surface wherein the internal circumferential surface, of the outer machine part **5** and the external circumferential surface of the inner machine part **2** are fastened one over the other by means of compression connection (figure 5), the outer **5** and inner **2** machine parts being so positioned along an axis with respect to each other that they overlap and the dimensions of the inner **2** and outer **5** machine parts and respective materials thereof are selected such that the outer machine part **5** is deformed into the plastic range of material strained (see figure 5).

Regarding the limitations of claim 4 pertaining to the contraction of the inner machine part corresponding to the level of contraction of the outer machine part at maximum overlap of the compression connection for elastic deformation of the outer machine part, note that:

"[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985) (citations omitted) (Claim was directed to a novolac color developer. The process of making the developer was allowed. The difference between the inventive process and the prior art was the addition of metal oxide and carboxylic acid as separate ingredients instead of adding the more expensive pre-reacted metal carboxylate. The product-by-process claim was rejected because the end product, in both the prior art and the allowed process, ends up containing

Art Unit: 3726

metal carboxylate. The fact that the metal carboxylate is not directly added, but is instead produced in-situ does not change the end product.).

Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "When the PTO shows a sound basis for believing that the products of the applicant and the prior art are the same, the applicant has the burden of showing that they are not." *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). Therefore, the *prima facie* case can be rebutted by evidence showing that the prior art products do not necessarily possess the characteristics of the claimed product. *In re Best*, 562 F.2d at 1255, 195 USPQ at 433. See also *Titanium Metals Corp. v. Banner*, 778 F.2d 775, 227 USPQ 773 (Fed. Cir. 1985) (Claims were directed to a titanium alloy containing 0.2-0.4% Mo and 0.6-0.9% Ni having corrosion resistance. A Russian article disclosed a titanium alloy containing 0.25% Mo and 0.75% Ni but was silent as to corrosion resistance. The Federal Circuit held that the claim was anticipated because the percentages of Mo and Ni were squarely within the claimed ranges. The court went on to say that it was immaterial what properties the alloys had or who discovered the properties because the composition is the same and thus must necessarily exhibit the properties.).

See also *In re Ludtke*, 441 F.2d 660, 169 USPQ 563 (CCPA 1971) (Claim 1 was directed to a parachute canopy having concentric circumferential panels radially separated from each other by radially extending tie lines. The panels were separated "such that the critical velocity of each successively larger panel will be less than the critical velocity of the previous panel, whereby said parachute will sequentially open and thus gradually decelerate." The court found that the claim was anticipated by Menget. Menget taught a parachute having three circumferential panels separated by tie lines. The court upheld the rejection finding that applicant had failed to show that Menget did not possess the functional characteristics of the claims.); *Northam Warren Corp. v. D. F. Newfield Co.*, 7 F. Supp. 773, 22 USPQ 313 (E.D.N.Y. 1934) (A patent to a pencil for cleaning fingernails was held invalid because a pencil of the same structure for writing was found in the prior art.).

6. **Claims 1-4** are rejected under 35 U.S.C. 102(b) as being anticipated by Franke (US6267712).

Franke teaches a subassembly comprised of at least two machine parts including:

an outer machine **4** part having an internal circumferential surface and a cooperating inner machine part **5** having an external circumferential surface wherein the internal circumferential surface, of the outer machine part **4** and the external circumferential surface of the inner machine part **5** are fastened one over the other, the outer **4** and inner **5** machine parts being so positioned along an axis with respect to each other that they overlap. Note the tensioning roller **3** and rolling bearing **6**.

Regarding the limitations "parts are fastened one over the other by means of compression connection", "deformed into the plastic range of material strained" and the limitations of claims 3-4 pertaining to the contraction of the inner machine part corresponding to the level of

Art Unit: 3726

contraction of the outer machine part at maximum overlap of the compression connection for elastic deformation of the outer machine part, the patentability of product does not depend on its method of production. *In re Thorpe*, 777 F.2d 695, 697, 227 USPQ 964, 966 (Fed. Cir. 1985) (citing *In re Pilkington*, 411 F.2d 1345, 1348, 162 USPQ 145, 147 (CCPA 1969)). If a product in a product-by-process claim is the same as or obvious from a product in the prior art, the claim is unpatentable even though the prior product is made by a different process. *Id.* citing *In re Marosi*, 710 F.2d 799, 803, 218 USPQ 289, 292-93 (Fed. Cir. 1983); *Johnson & Johnson v. W.L. Gore*, 436 F. Supp. 704, 726, 195 USPQ 487, 506 (D. Del. 1977); see also *In re Fessmann*, 489 F.2d 742, 744, 180 USPQ 324, 326 (CCPA 1974).

In addition:

Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "When the PTO shows a sound basis for believing that the products of the applicant and the prior art are the same, the applicant has the burden of showing that they are not." *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). Therefore, the *prima facie* case can be rebutted by evidence showing that the prior art products do not necessarily possess the characteristics of the claimed product. *In re Best*, 562 F.2d at 1255, 195 USPQ at 433. See also *Titanium Metals Corp. v. Banner*, 778 F.2d 775, 227 USPQ 773 (Fed. Cir. 1985) (Claims were directed to a titanium alloy containing 0.2-0.4% Mo and 0.6-0.9% Ni having corrosion resistance. A Russian article disclosed a titanium alloy containing 0.25% Mo and 0.75% Ni but was silent as to corrosion resistance. The Federal Circuit held that the claim was anticipated because the percentages of Mo and Ni were squarely within the claimed ranges. The court went on to say that it was immaterial what properties the alloys had or who discovered the properties because the composition is the same and thus must necessarily exhibit the properties.).

See also *In re Ludtke*, 441 F.2d 660, 169 USPQ 563 (CCPA 1971) (Claim 1 was directed to a parachute canopy having concentric circumferential panels radially separated from each other by radially extending tie lines. The panels were separated "such that the critical velocity of each successively larger panel will be less than the critical velocity of the previous panel, whereby said parachute will sequentially open and thus gradually decelerate." The court found that the claim was anticipated by Menget. Menget taught a parachute having three circumferential panels separated by tie lines. The court upheld the rejection finding that applicant had failed to show that Menget did not possess the functional characteristics of the claims.); *Northam Warren Corp. v. D. F. Newfield Co.*, 7 F. Supp. 773, 22 USPQ 313 (E.D.N.Y. 1934) (A patent to a pencil for cleaning fingernails was held invalid because a pencil of the same structure for writing was found in the prior art.).

The instant invention is not directed to a method of making the subassembly, but to the subassembly itself which is a product. The final product is structurally the same as Franke.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. **Claims 2, 3 and 5** are rejected under 35 U.S.C. 103(a) as being unpatentable over Harvey in view of Franke (US6267712).

Although Harvey teaches that the inner and outer machine parts are used for bearings, Harvey does not specifically teach that the outer machine part comprises a tensioning roller and the inner machine part comprises a raceway ring of a rolling bearing.

Franke teaches an outer machine part **4** that comprises a tensioning roller **3** and an inner machine part **5** that comprises a raceway ring of a rolling bearing **6**.

Therefore, it would have been obvious to one of ordinary skill in the art, at the time of the invention, to have providing the bearing of Harvey with a tensioning roller and rolling bearing, in light of the teachings of Franke, in order to provide a pressure roller that could be used for textile machines.

Regarding claim 5, the particular dimensions of the raceway ring and running disk is considered to be an obvious matter of design to a person of ordinary skill in the art, at the time of the invention, depending upon the desired strength characteristics and side that the pressure roller needs to be. In addition, official notice is taken that the claimed sizes are well known to a person of ordinary skill in the art when creating bearings.

Regarding the limitations of claim 3 pertaining to the contraction of the inner machine part corresponding to the level of contraction of the outer machine part at maximum overlap of the compression connection for elastic deformation of the outer machine part, note that:

"[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985) (citations omitted) (Claim was directed to a novolac color developer. The process of making the developer was allowed. The difference between the inventive process and the prior art was the addition of metal oxide and carboxylic acid as separate ingredients instead of adding the more expensive pre-reacted metal carboxylate. The product-by-process claim was rejected because the end product, in both the prior art and the allowed process, ends up containing metal carboxylate. The fact that the metal carboxylate is not directly added, but is instead produced in-situ does not change the end product.).

Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "When the PTO shows a sound basis for believing that the products of the applicant and the prior art are the same, the applicant has the burden of showing that they are not." *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). Therefore, the *prima facie* case can be rebutted by evidence showing that the prior art products do not necessarily possess the characteristics of the claimed product. *In re Best*, 562 F.2d at 1255, 195 USPQ at 433. See also *Titanium Metals Corp. v. Banner*, 778 F.2d 775, 227 USPQ 773 (Fed. Cir. 1985) (Claims were directed to a titanium alloy containing 0.2-0.4% Mo and 0.6-0.9% Ni having corrosion resistance. A Russian article disclosed a titanium alloy containing 0.25% Mo and 0.75% Ni but was silent as to corrosion resistance. The Federal Circuit held that the claim was anticipated because the percentages of Mo and Ni were squarely within the claimed ranges. The court went on to say that it was immaterial what properties the alloys had or who discovered the properties because the composition is the same and thus must necessarily exhibit the properties.).

See also *In re Ludtke*, 441 F.2d 660, 169 USPQ 563 (CCPA 1971) (Claim 1 was directed to a parachute canopy having concentric circumferential panels radially separated from each other by radially extending tie lines. The panels were separated "such that the critical velocity of each successively larger panel will be less than the critical velocity of the previous panel, whereby said parachute will sequentially open and thus gradually decelerate." The court found that the claim was anticipated by Menget. Menget taught a parachute having three circumferential panels separated by tie lines. The court upheld the rejection finding that applicant had failed to show that Menget did not possess the functional characteristics of the claims.); *Northam Warren Corp. v. D. F. Newfield Co.*, 7 F. Supp. 773, 22 USPQ 313 (E.D.N.Y. 1934) (A patent to a pencil for cleaning fingernails was held invalid because a pencil of the same structure for writing was found in the prior art.).

9. **Claim 6** is rejected under 35 U.S.C. 103(a) as being unpatentable over either one of Small or Harvey.

Regarding claim 6, the particular dimensions of the raceway ring and running disk is considered to be an obvious matter of design to a person of ordinary skill in the art, at the time of the invention, depending upon the desired strength characteristics and side that the pressure roller needs to be. In addition, official notice is taken that the claimed sizes are well known to a person of ordinary skill in the art when creating bearings.


10. **Claims 5 and 6** are rejected under 35 U.S.C. 103(a) as being unpatentable over Franke.

Regarding claims 5 and 6, the particular dimensions of the raceway ring and running disk is considered to be an obvious matter of design to a person of ordinary skill in the art, at the time of the invention, depending upon the desired strength characteristics and side that the pressure roller needs to be. In addition, official notice is taken that the claimed sizes are well known to a person of ordinary skill in the art when creating bearings.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc Jimenez whose telephone number is (571) 272-4530. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Marc Jimenez, Primary Examiner
Art Unit 3726

MJ
8-8-06